SECTION 711 RIPRAP

MATERIAL		REFERENCE	PURP.	SAMPLED BY METHOD	MIN. FREQ.	MIN. QUANT. CONTAINER	CERT.	SMALL	TYPICAL HANDLING TIME	REMARKS
		TESTED BY					DISTR.			
GEOTEXTILE FABRIC		711.02 1019.01 Mat. Lab	Prelim. Source Approval	Dist. Lab S 614	1/type/lot/ source/ shipment	3 lin ft/roll width of fabric*			7 weeks	*Sample a minimum of 18 ft².
		711.02 1019.01 Mat. Lab	Accept.	Proj. Engr. S 601	1/type/ source/ shipment	3 lin ft/roll width of fabric*	CD** 1 & 7	150 yd²	10 days	(QPL 61) *Sample a minimum of 18 ft². **Sample when not accompanied by CD or questionable.
RECYCLED CONCRETE		711.02 Proj. Engr.	Accept.	VISUAL INSPECTION AND/OR GRADATION CHECK (AT SOURCE, PROJECT SITE, OR BOTH, AT ENGINEER'S OPTION).						Sample size and unit weight determined by Dist. Lab. Must be from an approved source.
STONE		711.02 Proj. Engr.	Accept.	VISUAL INSPECTION AND/OR GRADATION CHECK (AT SOURCE, PROJECT SITE, OR BOTH, AT ENGINEER'S OPTION).						(QPL 2)